



Pork & Plants LLC  
16378 County Rd 114  
Altura, MN 55910  
507-689-2678  
[www.porkandplants.com](http://www.porkandplants.com)  
[www.facebook.com/PorkandPlants](https://www.facebook.com/PorkandPlants)

## Harvesting and storing home garden vegetables

Courtesy of Univ. of MN Extension, Cindy Tong, Extension post-harvest horticulturist

One of the joys of summer is homegrown sweet corn, picked right outside your back door and plopped straight into a pot of boiling water or onto the grill. The advantage of having a home garden is that you can pick and savor your vegetables when they're at their optimal flavor. But how can you tell when to harvest your vegetables? How should you store zucchini if they all reach optimal size at the same time? What are the best conditions to store your homegrown vegetables? This fact sheet provides some information that will help you make decisions on harvesting and storing your vegetables.

When harvesting vegetables, be careful not to break, nick, or bruise them. The less vegetables are handled, the longer they will last in storage. Harvest only vegetables of high quality. Rotting produce cannot be stored for very long, and could spread disease to other stored vegetables.

Different vegetables need different storage conditions. Temperature and humidity are the main storage factors to consider; there are three combinations for long-term storage:

1. **cool and dry** (50-60°F and 60% relative humidity),
2. **cold and dry** (32-40°F and 65% relative humidity), and
3. **cold and moist** (32-40°F and 95% relative humidity).

For cold conditions, 32°F is the optimal temperature, but it isn't easy to attain in most homes. Expect shortened shelf-lives for your vegetables as storage conditions deviate from the optimal, as much as 25% for every 10°F increase in temperature. Some vegetables, such as cucumbers, peppers and tomatoes, require cool (55°F) and moist storage. These conditions are difficult to maintain in a typical home, so expect to keep vegetables requiring cool and moist storage conditions for only a short period of time.

Where can the different storage conditions be found in a typical home? Basements are generally cool and dry. If storing vegetables in basements, provide your vegetables with some ventilation. Harvested vegetables are not dead, but still "breathe" and require oxygen to maintain their high quality. Also, be sure they are protected from rodents.

Home refrigerators are generally cold and dry (40°F and 50-60% relative humidity). This is fine for long-term storage of garlic and onions, but not much else. Putting vegetables in perforated plastic bags in the refrigerator will provide cold and moist conditions, but only for a moderate amount of time. Unperforated plastic bags often create too humid conditions that lead to condensation and growth of mold or bacteria.

Root cellars provide cold and moist conditions. As with basements, provide ventilation and protection from rodents when storing vegetables in cellars. Materials such as straw, hay, or wood shavings can be used as an insulation. If using such insulation, make sure that it is clean and not contaminated with pesticides.

**Specific harvest and storage information for some commonly-grown vegetables. Expected shelf-life times are only estimates.**

Vegetable	When to Harvest	How to Store	Expected Shelf-life	Comments
asparagus	third year after planting when spears are 6-9 inches long	cold and moist	2 weeks	keep upright
basil	when leaves are still tender	at room temperature	5 days	keep stems in water; will discolor if kept in refrigerator for 10 days
beans, snap	about 2-3 weeks after bloom when seeds still immature	cold and moist	1 week	develop pitting if stored below 40°
beets	when 1.25-3 inches in diameter	cold and moist	5 months	store without tops
broccoli	while flower buds still tight and green	cold and moist	2 weeks	-
brussels sprouts	when heads 1 inch in diameter	cold and moist	1 month	-
cabbage	when heads compact and firm	cold and moist	5 months	-
carrots	when tops 1 inch in diameter	cold and moist	8 months	store without tops
cauliflower	while heads still white, before curds "ricey"	cold and moist	3 weeks	-
corn, sweet	when silks dry and brown, kernels should be milky when cut with a thumbnail	cold and moist	5 days	-
cucumbers	for slicing, when 6 inches long	cool spot in kitchen 55°F in perforated plastic bags; storage in refrigerator for a few days okay	1 week	develops pitting and water-soaked areas if chilled below 40°F; do not store with apples or tomatoes
eggplant	before color dulls	like cucumbers	1 week	develops pitting, bronzing, pulp browning if stored for long period below 50°F
kohlrabi	when 2-3 inches in diameter	cold and moist	2 months	store without tops
lettuce	while leaves are tender	cold and moist	1 week	-
muskmelons (cantaloupe)	when fruits slip off vine easily, while netting	cold and moist	1 week	develops pitting surface decay with slight freezing

	even, fruit firm			
onions	when necks are tight, scales dry	cold and dry	4 months	cure at room temperature 2-4 weeks before storage, do not freeze
parsnips	when roots reach desired size, possibly after light frost	cold and moist	4 months	do not wax or allow roots to freeze; sweetens after 2 weeks storage at 32°F
peas	when pods still tender	cold and moist	1 week	-
peppers	when fruits reach desired size or color	like cucumbers	2 weeks	develops pitting below 45°F
potatoes	when vine dies back	cold and moist; keep away from light	6 months	cure at 50-60°F or 14 days before storage, will sweeten below 38°F
pumpkins	when shells harden, before frost	cool and dry	2 months	very sensitive to temperatures below 45°F
radishes	when roots up to 1.25 inches in diameter	cold and moist	1 month	store without tops
rutabagas	when roots reach desired size	cold and moist	4 months	do not wax
spinach	while leaves still tender	cold and moist	10 days	-
squash, summer	when fruit 4-6 inches long	like cucumbers	1 week	do not store in refrigerator for more than 4 days
squash, winter	when shells hard, before frost	cool and dry	2-6 months, depending on variety	curing unnecessary; do not cure Table Queen
tomatoes, red	when color uniformly pink or red	like cucumbers	5 days	loses color, firmness and flavor if stored below 40°F; do not refrigerate!
turnips	when roots reach desired size, possibly after light frost	cold and moist	4 months	can be waxed
watermelons	when underside turns yellow or produces dull sound when slapped	like cucumbers	2 weeks	will decay if stored below 50°F for more than a few days

*Other tips:*

- Storing potatoes with apples will keep them from sprouting
- One rotten apple spoils the bunch- remove right away and your other apples will stay fresh longer